

HDD ROLLER-CONE REAMING TOOLING

Approved Model Drawings

Bolt-On Hole Openers | Drawing reference package


Package contents Four supplied engineering drawings reproduced without dimensional reinterpretation. Verify revision status and written release with DRILLNOVA before manufacturing, repair or substitution.

Model	Drawing	Date	Revision	OD	Overall length	Connection
12 in Bolt-On Hole Opener	D260907B-1	2026-09-07	Not stated	304.8 mm	1000 mm	2-7/8 IF BOX, both ends
14 in Bolt-On Hole Opener	D260902-B2	2026-09-02	Not stated	355.6 mm	1118 mm	3-1/2 IF BOX, both ends
16 in Millteeth Hole Opener	D260701B-2	2026-07-17	2	406.4 mm	1250 mm	6-5/8 FH BOX (upper) / 6-5/8 FH PIN (lower)
32 in Bolt-On TCI Hole Opener	D260428B-1	2026-05-06	R1	812.8 mm	1880 mm	4-1/2 REG BOX, both ends


Drawing status rules

- Use drawing number and revision together; do not identify a configuration only by nominal diameter.
- Dimensions are in millimeters unless the source drawing states otherwise.
- Weight fields are blank on all supplied drawings and must be verified separately.
- This compiled package does not create a new engineering approval or supersede the original source files.


12 in Bolt-On Hole Opener | D260907B-1



14 in Bolt-On Hole Opener | D260902-B2



16 in Millteeth Hole Opener | D260701B-2



32 in Bolt-On TCI Hole Opener | D260428B-1

